

Statement of Compliance

Manufacturer's Name: _____ Dynisco Instruments _____

Product Name/Type: _____ Temp Controllers 1496, 1498 _____

Model Number(s): _____ Temp Controllers 1496, 1498 _____

The above product complies with the following:

- UL (United Laboratories). The basic standard used to investigate products in this category is ANSI/UL 61010-1, "Electrical Equipment for Measurement, Control, and Laboratory Equipment - Part 1: General Requirements."

(Support documentation may or may not accompany this statement)

Revision Date:

Expiration Date:



QUYX2.E208029 Process Control Equipment, Electrical - Component

[Page Bottom](#)

Process Control Equipment, Electrical - Component

[See General Information for Process Control Equipment, Electrical - Component](#)

DANAHER UK INDUSTRIES LTD

E208029

THE HYDE BUSINESS PARK
BRIGHTON, E SUSSEX BN2 4JU UNITED KINGDOM

Process control equipment, Cat. No. P followed by 6 followed by 0, 1, 2, 4, 6 or 7, followed by 0, 1, 2 or 7, followed by 0, 1, 2, 3 or 4, followed by 1, 2, 3, 4 or 5, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 or A, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 or A followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 or A, followed by 0, 1, 3 or 4, followed by 0 or 2, followed by 0, 1, 2, 3, 4, 8 or 9, followed by 0, 1, 2, 3, 4, 5, 6 or 9, followed by 0, 1, 2, 3, 4 or 5, may be followed by S with up to 3 numeric followed by 6, followed by 0, 1, 2, 4, 6 or 7, followed by 0, 1, 2 or 7, followed by 1, 2, 3 or 4, followed by 1, 2, 3 or 4, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8 or A, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 or A, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8 or A, followed by 0, 1, 3 or 4, followed by 0 or 2, followed by 1, 3, 4, 8 or 9, followed by 0, 1, 2, 3, 4, 5 or 9, followed by 0, 1, 2, 3, 4 or 5, may be followed by S with up to 3 numeric. Model ECO24 may replace Cat. No. P6XXX and the original coding will apply. Model P116X may replace Cat. No. P6XXX and the original coding will apply. Model P161X may replace Cat. No. P6X1X Model and the original coding will apply. Cat no P67-00-1-x-x-x-x-x-x-x-x-S152 may be designated as HL100+; Cat No: P61-00-x-x-x-x-x-x-x-x-Sxxx may be designated as 3088x; Cat No: P66-00-x-x-x-x-x-x-x-x-S220 may be designated RC600 and the remainder coding will apply; P6100 may be designated as PLX6 (and the remainder coding will apply).

Cat. No. P followed by 4 or 8 followed by 0, 1, 2, 4, 6 or 7 followed by 0, 1, 2 or 7 followed by 0, 1, 2, 3, 4 or 5 followed by 1, 2, 3, 4, 6 or S followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B or C followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 or A followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 or A followed by 0, 1, 3 or 4 followed by 0 or 2 followed by 0, 1, 2, 3, 4, 8 or 9 followed by 0 or R followed by 0, 1, 2, 3, 4, 5, 6, or 9 followed by 0, 1, 2, 3, 4 or 5 may be followed by S with up to 3 numeric characters. P14 or P18 may replace P4 or P8 on the original coding. S428A may replace P8014 on the original coding. Cat No: P81-00-x-x-x-x-x-x-x-x-Sxxx may be designated as 3088x; Cat. No. P8-x-x-x-6-x-x-x-x-x-x-x-Sxxx will be designated as 1490-x-x-x-x-x, where x = any digit 0 - 9. or letter T (where "x" is a build within the clients nomenclature breakdown, and T denotes the option for the Transmit Power Supply PWB rated for 24V DC, 60mA); P8100 may be designated as PLX8 and the original coding will apply.

Cat. No. MLC900 followed by 0 or 2, followed by +, followed by A, B or Z, followed by M, N, 1, 3 or 4, followed by 0, 1, 2, 3 or 6, followed by 0, 1, 2, 3, 4 or 5, followed by 0, 1 or 2, followed by C, D, E, M, N or P, followed by B, F, I, N or T, followed by P, followed by 0.

Cat. No. MLC900 followed by 0 through 9, followed by B or C, followed by 1, 2 or 4, followed by 1, 2, 3, 4 or 6, followed by 0, 1, 2 or 3, may be followed by S with up to 3 numerics.

Cat. No. N61 followed by 00, 01, 02, 03, 04, 20, 21, 22 or 23, followed by Z, followed by 1, 2, 3 or 4, followed by 1, 2, 3, 4, 5, 7 or 8, followed by 0, 1, 2, 3, 4, 5, 6, 7 or 8, followed by 0, 1, 2, 3, 4, 5 or 7, followed by 00, 02, 10, 12, 30 or 32, followed by S and may be up to 3 numbers, may be followed by S and up to 3 numbers.

Cat. No. N67 followed by 00, 01, 02 or 04, followed by Z, followed by 1, 2, 3 or 4, followed by 1, followed by 0 or 1, followed by 0, 1, 2, 3, 4, 5 or 7, followed by 00, 02, 10, 12, 30 or 32, followed by S and may be up to 3 numbers, may be followed by S and up to 3 numbers.

Cat. No. N6170 followed by Z, followed by 1, 2, 3 or 4, followed by 11, followed by 0, 1, 2, 3, 4, 5 or 7, followed by 00, 02, 10, 12, 30 or 32, may be followed by S and up to 3 numbers, may be followed by S and up to 3 numbers.

Cat. No. N6010 followed by Z, followed by 1, 2, 3 or 4, followed by 1, followed by 0 or 1, followed by 3, 4, 5 or 7, followed by 00, 02, 10, 12, 30 or 32, followed by J0 or J1, may be followed by S and up to 3 numbers, may be followed by S and up to 3 numbers.

Cat. No. N64 followed by 00 or 01, followed by Z, followed by 1, 2, 3 or 4, followed by 1, 2, 3, 4, 5, 7 or 8, followed by 0, 1, 2, 3, 4, 5, 7 or 8, followed by 0, 1, 2, 3, 4, 5 or 7, followed by 00, 02, 10, 12, 30 or 32, followed by S and may be up to 3 numbers, may be followed by S and up to 3 numbers.

Cat. No. N8080 followed by 1 or 2, followed by 0 or 1, followed by 0 or 3, followed by 0, 5 or 6, followed by 0 or 2.

Cat. No. S628 followed by 1 or 2, followed by 0 or 1, followed by 0 or 3, followed by 0, 5 or 6, followed by 0 or 2.

Cat. Nos. DC70A, DC70E, DC70P, DC70I.

Cat. No. S628 followed by 1 or 2, followed by 0 or 1, followed by 0 or 3, followed by 0, 5 or 6, followed by 0 or 2.

Cat. No. P followed by 6 followed by 0, 1, 2, 4, 6 or 7, followed by 0, 1, 2 or 7, followed by 1, 2, 3 or 4, followed by 1, 2, 3 or 4, followed by 0, 1, 2, 3, 4, 5, 6, 7 or 8, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8 or 9, followed by 0, 1, 2, 3, 4, 5, 6, 7 or 8, followed by 0, 1 or 3, followed by 0 or 2, followed by 1, 3, 4, 8 or 9, followed by 0, 1, 2, 3, 4, 5 or 9, followed by 0, 1, 2, 3, 4 or 5, may be followed by S with up to 3 numerics.

Cat No. CAL 9, followed by 1, 2, 8, or 9, followed by 1 or 2, followed by 0, 1 or 2, followed by 1,2 or 5, followed by F, C, 1, 2, 7 or 9.

Cat Nos. CAL 33xx, 3204, 93xx, 94xx and 9500, followed by additional suffix numbers (code numbers). Where xx references to the output drive options (see model nomenclature for details).

Cat No. CAL 32, followed by 00 or E0, followed by 0, 4, or 5, followed by a number or letter.

Open Type Process Controller Model KS20-1 followed by 0, followed by 0, followed by R or A, followed by D or S, followed by 0, L or C, followed by 0 or I, followed by other alpha numeric options not imperative to safety or KS20-1, followed by 0 or 1; followed by T or H; followed by R, A, Y

or L; followed by 0, R, D, A or Y; followed by 0, R, A, Y, L or C; followed by 0, B or C; followed by 0, 1, 2, 3, 4 or 5; followed by other alpha numeric options not imperative to safety.

Open Type Process Controller, Model KS20-1 followed by 0; followed by 0; followed by R or A; followed by D or S; followed by 0, L or C; followed by 0 or I; followed by other alpha numeric options not imperative to safety.


Hot Runner Slot Controller and backplanes: Slot Controller Model HRCslot P9603 followed by x, followed by yyy, followed by S, followed by zzz.; HRC Terminating Backplane Model P9610-x; HRC Standard Backplane Model P9620-x.

Cat. No. E followed by 6 or 8, followed by C, followed by 0 or E, followed RR, SR or SS, followed by 0, R, S, L or C, followed by 0 or 2, followed by x, followed by x, followed by x.

Model BN-R32, followed by 0, R, or V, followed by 0 or C, followed by 0 or U.

Model 1496- followed by 0, 1, 2 or 8; followed by 0, 1, 2 or 8; followed by 0, 1 or 2; followed by 0 or 1; followed by 0 or 2 and 1498- followed by 0, 1, 2 or 8; followed by 0, 1, 2 or 8; followed by 0, 1 or 2; followed by 0 or 1; followed by 0 or 2.

Marking: |

or model designation and the Recognized Component Mark 

Last Updated on 2014-12-17

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".